

## Uline

Jiffylite®, Jiffy Padded, Bubble Lined Polyolefin, Utility, Disk and Rigi Mailers

### SECTION 1 : CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**MSDS Name:** Jiffylite®, Jiffy Padded, Jiffy Tuff Guard, Utility, Disk and Rigi Mailers

**Distributor Name:** Uline

**Address:**

2200 S. Lakeside Drive  
Waukegan, IL 60085

EMERGENCY TELEPHONE NO: (800) 295-5510

**Manufacturer MSDS Revision Date:** 05/09/2002

**Supersedes:** 06/02/2000

**Trade Names:**

Jiffylite® Jiffy Mailer® Products

**Synonyms:**

Jiffylite® Jiffy Mailer® Products

**Chemical Name & Synonyms:**

Polyethylene, paper, pigments, adhesive and other proprietary resins

### SECTION 2 : COMPOSITION, INFORMATION ON INGREDIENTS

--	--	--	--

**Hazardous Ingredient:**

None.

### SECTION 3 : HAZARDS IDENTIFICATION

**HAZARDS IDENTIFICATION:**

None

## SECTION 4 : FIRST AID MEASURES

### Eye Contact:

Flush with plain water.

### Skin Contact:

Wash area thoroughly with soap and water.

### Inhalation:

Remove from further exposure and obtain medical attention. Administer oxygen if necessary.

### Ingestion:

Obtain medical attention if necessary.

## SECTION 5 : FIRE FIGHTING MEASURES

### Flash Point:

Not applicable. However paper can auto-ignite around 446 deg F (230 deg C).

### Upper Flammable or Explosive Limit:

Not applicable

### Lower Flammable or Explosive Limit:

Not applicable

### Extinguishing Media:

CO<sub>2</sub>, dry chemical, water spray, foam

### Fire Fighting Instructions:

Fire fighters should wear self-contained breathing apparatus to protect against irritating vapors. Full protective clothing should be worn. Use self-contained breathing apparatus in enclosed area.

### Unusual Fire Hazards:

Burns rapidly with smoke, paper char may retain embers.

## SECTION 6 : ACCIDENTAL RELEASE MEASURES

### Personal Precautions:

Handle generally as an inert material.

## SECTION 7 : HANDLING and STORAGE

### Storage:

Store below 170 deg F (77 deg C) in area protected with automatic sprinklers.

## SECTION 8 : EXPOSURE CONTROLS, PERSONAL PROTECTION

### Ventilation System:

Good general ventilation.

### Eye/Face Protection:

Safety glasses recommended.

### Protective Clothing/Body Protection:

Generally not required.

### Respiratory Protection:

None required.

## SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

### Physical State/Appearance:

Paper, Plastic, and Air Cellular films.

### Color:

Brown, tan, gold, bronze, white

### Odor:

None

### Melting Point:

Not applicable.

### Specific Gravity:

1.2 - 1.4

### Flashpoint:

Not applicable. However paper can auto-ignite around 446 deg F (230 deg C).

### Upper Flammable Explosive Limit:

Not applicable

### Lower Flammable Explosive Limit:

Not applicable

## SECTION 10 : STABILITY AND REACTIVITY

### Chemical Stability:

Stable.

### Conditions to Avoid:

Flame, sparks, high heat.

### Incompatibilities with Other Materials:

Oxidizers.

### Hazardous Decomposition Products:

None under normal use and storage.

## SECTION 11 : TOXICOLOGICAL INFORMATION

### Toxicological Paragraph:

None established.

## SECTION 12 : ECOLOGICAL INFORMATION

### Ecological Paragraph:

This product is inert to the environment and is not expected to exhibit any significant biodegradation.

## SECTION 13 : DISPOSAL CONSIDERATIONS

### Waste Disposal:

Dispose of in compliance with federal, state and local regulations.

### RCRA Hazard Class:

Not classified as a RCRA hazardous waste.

## SECTION 14 : TRANSPORT INFORMATION

DOT Shipping Name:

Not regulated.

IMO:

Not regulated.

IATA Class:

Not regulated.

Reportable Quantity: Not applicable.

ICAO Class:

Not regulated.

## SECTION 15 : REGULATORY INFORMATION

**Applies to all ingredients:**

Section 302:

None.

Section 312 Hazard Category:

None.

Section 313 Toxic Release Form:

None.

RCRA 261.33 Code: Status: Not classified as a RCRA hazardous waste.

## SECTION 16 : ADDITIONAL INFORMATION

MSDS Revision Date:

05/09/2002

Supersedes: 06/02/2000

OTHER INFORMATION:

None.